

○ Stone Grey Matt

Matt finishing – now with added inspiration.

**Discover Standocryl 2K System Clear Super Matt K9150
and Standocryl 2K System Clear Satin Gloss K9140**



Get Inspired

Match virtually any matt colour with our innovative new matt clearcoats.

Best in class system.


Colours and effects found on modern cars are often inspired by nature. Matching them, especially on ultra-low gloss levels, demands true skill of a refinisher. It also requires best-in-class products – like our inspirational matt clear system based on the latest innovative Axalta technology.

Higher quality. Wider choice.

Alongside the widest range of gloss levels in the industry, the system also features easy handling and robust application for panel, multi-panel, and overall repairs. Achieve very good reproducibility and right-first-time results. Defined drying and flash-off times result in a homogenous matt surface with lasting quality. Matt vehicle repairs are now easier to achieve and are more energy efficient than ever.

The right gloss level every time.

With our advanced digital colour management software Standown iQ, the applicable gloss level is already recommended with the colour formula. And our Genius iQ spectrophotometer helps you identify the correct matt colour quickly and easily.



IDENTIFY THE IDEAL GLOSS LEVEL FOR EVERY MATT REFINISH REPAIR

Application over waterborne Standoblue/Standohyd Plus Basecoat*

	Matt Level 1 (5-10 Gloss Unit)	Matt Level 2 (11-15 Gloss Unit)	Matt Level 3 (16-25 Gloss Unit)	Matt Level 4 (26-35 Gloss Unit)	Matt Level 5 (36-50 Gloss Unit)	Matt Level 6 (51-65 Gloss Unit)
Standocryl 2K System Clear Super Matt K9150	80	65	45	40	20	0
Standocryl 2K System Clear Satin Gloss K9140	20	35	55	60	80	100

*For guidance only – please check relevant technical data sheet

Application over solvent-borne Standox Basecoat* or sanded existing clearcoat

	Matt Level 1 (5-10 Gloss Unit)	Matt Level 2 (11-15 Gloss Unit)	Matt Level 3 (16-25 Gloss Unit)	Matt Level 4 (26-35 Gloss Unit)	Matt Level 5 (36-50 Gloss Unit)	Matt Level 6 (51-65 Gloss Unit)
Standocryl 2K System Clear Super Matt K9150	100	70	50	45	30	10
Standocryl 2K System Clear Satin Gloss K9140	0	30	50	55	70	90

*For guidance only – please check relevant technical data sheet



Find out more

Contact your Standox representative for more information or visit standox.com/matt-clear



Standox GmbH • Wuppertal • Germany